

Spec Sheet 2025



360

v4.1

3000: Merchandiser 360

with optional surrounds

v4.1



MERCHANDISER STANDARD FEATURES

- ✓ Ships mostly assembled
- ✓ Size (ext): 51"W x 36"D x 89"T incl. 9" header
- ✓ Product-enhancing black interior wall
- ✓ Moving wheels and leveling legs
 - UPPER MERCHANDISER
 - Rotates to allow rear product loading from the front
 - 4 shelves that support up to KSS+ chips
 - 10-18 8" product pegs
 - LOWER MERCHANDISER
 - 3 pull-out shelves for easy loading that support bars, cookies, pastry, candy
 - 1 Toe kick Shelf (6.1"t) supports box items
 - 4"/14" Product Pegs
 - High Lumen LED Light Kit
- ✓ Shelving and merchandising front fences, lane dividers, pushers, and high-lumen LED lighting are pre-installed.

SURROUND STANDARD FEATURES:

- ✓ Size (ext) 34"/65"w x 36"d x 89"t incl. 9" header
- ✓ Single (32) / Double (63) cooler widths stocked
- ✓ Add on to a Merchandiser 360 or free standing

OPTIONS

- ✓ Acrylic lettering for headers (ie. MARKET)
- ✓ Price tag holders
- ✓ Additional pushers
- ✓ Front vent panels for surrounds (not pictured)
- ✓ Toe kick lighting
- ✓ Pay station w/merchandising below (pictured)

FINISHES

Dove Grey



Macchiato



Custom Finishes Available

Executive

v4.1

Executive Collection

v4.1



These pieces were created to define micro market spaces that demand an iconic look above all else. Featuring quick tool-less assembly, increased capacity, functional flexibility, and brand customization. They uniquely furnish in a way that is visually integrated and positively impactful to the consumer experience. Customer reviews read "Our brand is valuable and we needed the right product to represent it. Stunning. Visionary. Custom. Executive.

Fixturelite is the best possible investment to sell more products in your market. The made-in-the-USA retail displays, fixtures, and racking provide superior product presentation, deliver an exceptional total cost of ownership, create an exceptional experience for the consumer, and a quick to assemble, flexible, and hassle-free ownership experience for the operator.

STANDARD FEATURES

- ✓ Freestanding
- ✓ Quality Millwork/Laminate Made in the USA
- ✓ Toolless Quick Assembly
- ✓ Black Interior
- ✓ Compatible with all Fixturelite Collections
- ✓ Durable 10 Year Warranty

BASE FINISHES

Dove Grey



Macchiato



TRIM FINISHES

Dove Grey



Sienna



Macchiato



Custom Finishes Available

Executive Surround

v4.1



32.5"
width



63"
width

STANDARD FEATURES


- ✓ Size: 38/68"W x 36.75"D x 89.5"T (external)
 - Widths of 32.5" and 63" (interior)
- ✓ Back Interior for a Better Built-in Look
- ✓ Toolless Quick Assembly
- ✓ Leveling Legs
- ✓ Designed to Accommodate Single Door 30"
- ✓ Refrigerators From:
 - Minus Forty
 - True
 - Imbera
 - Other Standard 30" Wide Merchandisers

OPTIONS

- ✓ Signage
- ✓ Matching / Contrasting Trim
- ✓ Matching Front Vent Panels
- ✓ Custom Interior Widths

BASE FINISHES

Dove Grey



Macchiato



TRIM FINISHES

Dove Grey



Sienna



Macchiato



Custom Finishes Available

Executive Retail Display

v4.1



32.5"
width



45"
width

STANDARD FEATURES

- ✓ Size: 89.5"T
- ✓ Depth: 20.75"/36.75"
- ✓ Width: 32.5"/38" and 45"/50" (INT/EXT)
- ✓ Product-enhancing Black Interior
- ✓ Toolless Quick Assembly
- ✓ Leveling Legs
- ✓ Customizable Merchandising Kit Options

STANDARD MERCHANDISING KIT

- ✓ 5 16"D Adjustable Black Laminated Wood Shelves
- ✓ Front Fence with 10 Lane Dividers and 5 Pushers Per Shelf
- ✓ 10, 14" Product Pegs
- ✓ High Lumen LED Lighting for Every Shelf

OPTIONS

- ✓ Price Tag Holders
- ✓ Signage
- ✓ Matching / Contrasting Trim
- ✓ Toe Kick Lighting

BASE FINISHES

Dove Grey



Macchiato



TRIM FINISHES

Dove Grey



Sienna



Macchiato



Custom Finishes Available

Executive Kiosk Enclosure

ACTIVITY STATION

v4.1



32.5"
width



45"
width

STANDARD FEATURES

- ✓ Size Surround 36.75"D, 89.5"T (external)
 - Widths of 32.5"/38 and 45"/50 (int/ext)
 - Cabinet 32.5/45" W x 30" D x 32.5" T
 - with matching countertop (optional)
- ✓ Product-enhancing Black Interior
- ✓ Locking Base Cabinet w/Countertop
 - Gum/Mint/Candy Merchandising on 1-Door Config
- ✓ One Tool Quick Assembly
- ✓ Leveling Legs
- ✓ Rear Power Cord/Waterline Management Area
- ✓ Use As:
 - Payment Center
 - Microwave Station
 - Hot Beverage Station
 - Trash
- ✓ Customizable Merchandising Options for Surround
 - 16"D Black Laminate Adjustable Shelf
 - 4"/14" Product Pegs
 - High Lumen LED Light Kit

OPTIONS

- ✓ Base Cabinet Options
 - Base Cabinet Options
 - Toe Kick Lighting
 - Solid Surface Countertop
- ✓ Surround Options
 - Price Tag Holders
 - Signage
 - Matching / Contrasting Trim

BASE FINISHES

Dove Grey



Macchiato



TRIM FINISHES

Dove Grey



Sienna



Macchiato



Custom Finishes Available

Cabinets

v4.3



FULL

SHORT



63"
width



No Door and Split Door Available, not shown

STANDARD FEATURES

- ✓ Sizes (ext):
 - 63"W x 30"D x 32.5"T (cabinet only)
 - 68"W x 36.75"D x 89.5T (with surround)
- ✓ Cabinet Ships Mostly Assembled
- ✓ Locking Doors
- ✓ Product Enhancing Black Interior
- ✓ Leveling Legs
- ✓ Designed to be in a Surround or Stand-alone
- ✓ Dual-Sided Laminate Countertop
- ✓ Use For:
 - Pay w/upsell below
 - Trash
 - Microwaves
 - Combination
 - Hot Beverages
 - Merchandising
- ✓ Customizable Merchandising Options:
 - Full Product Merchandising below counter

OPTIONS

- ✓ Doors: none, split(not pictured), short, tall
- ✓ Cabinet Lighting for Lid, Shelves, Pendants
- ✓ Toe Kick Lighting
- ✓ Trash Chute w/Trash Can (trash/coffee)
- ✓ In-counter Cup Dispensers
- ✓ Signage
- ✓ Solid Surface Countertop

COUNTERTOP/SUR FINISHES

Dove Grey



Pebble Tea Rose



Macchiato



Chocolate Chip



CABINET FINISHES

Black



Islands

v4.3



32.5"
width



45"
width

STANDARD FEATURES


- ✓ Size (ext): 34"/46.5"W x 36"D x 32.5"T
- ✓ Ships Mostly Assembled
- ✓ 2 Separate Sides
- ✓ Locking Doors on one side/Shelves on the other side
- ✓ Product-enhancing Black Interior
- ✓ Leveling Legs
- ✓ Can be Used Against a Wall or in the Center of a Space.
- ✓ Combine Multiple Units to Increase Length.
- ✓ Use For:
 - *Payment Station w/Lower Cross-Sell*
 - *Microwave*
 - *Hot Beverage w/Cup Dispenser In-counter*
 - *Seating*
 - *Merchandising*
 - *Trash (coffee chute or garbage)*
- ✓ For Each Side, Choose Either:
 - *2 Locking Doors*
 - *Merchandising on 3,16" black laminate shelves*
Merchandising Kit for each shelf includes a Front Fence with 10 Lane Dividers and 5 Pushers per Shelf

OPTIONS

- ✓ Price Tag Holders
- ✓ Hi-lumen Lighting for Each Shelf
- ✓ Toe Kick Lighting
- ✓ Extra-deep Countertop for Seating Area
- ✓ Seating for Extra Deep Countertop
- ✓ Trash Chute w/Trash Can
- ✓ In-counter Cup Dispensers

COUNTERTOP FINISHES

Dove Grey



Pebble Tea Rose



Macchiato



Chocolate Chip



CABINET FINISHES

Black



Sleds/Gondolas

v4.3



WIDE SIDE END PANEL PICTURED
(SPECIAL ORDER ONLY)

STANDARD FEATURES

- ✓ Size (ext): 47"W x 36"D x 45.75"T
- ✓ Merchandise Both Sides
- ✓ Black Center Wall/6.1"T Toe Kick
- ✓ Toolless Quick Assembly
- ✓ Leveling Legs
- ✓ Ships Mostly Assembled
- ✓ Customizable Merchandising Options
- ✓ Standard Merchandising Kit (per side):
 - 2 Adj 16"D Black Laminated Wood Shelves
 - Front Fence with 10 Lane Dividers and 5 Pushers per Shelf
 - Rail with 10, 14" Product Pegs
 - Toe Kick Shelf

OPTIONS

- ✓ Price Tag Holders
- ✓ Signage
- ✓ High Lumen LED Lighting for Each Shelf
- ✓ Toe Kick Lighting
- ✓ Slim Side* or Wide Side** End Panel – (removable for transport)
- ✓ Line up multiple sleds end-to-end to create a longer run.
- ✓ End Cap (Special Order, not pictured)

FINISHES

Dove Grey



Macchiato



* Stocked

** Special Order

Performance

v4.2

Performance Collection

v4.2



As easy as 1-2-3, the Performance Collection uses Fixturelock™ technology to make assembly quick, simple and virtually toolless. Simply select your snack cabinet size, number of coolers and finish. Fixturelite's retail merchandising best practices and technology include: a black backwall, 5 adjustable wood shelves with merchandising kit, dividers and auto-facing product pushers, hi-lumen LED lighting and leg levelers.

STANDARD FEATURES

- ✓ Freestanding
- ✓ Modular
- ✓ Quality Millwork Made in the USA
- ✓ Single-Tool Quick Assembly
- ✓ Compatible with all Fixturelite Collections
- ✓ Durable 10 Year Warranty

FINISHES

Dove Grey



Macchiato



Black



Custom Finishes Available

Performance Surround

v4.2

63"
width



32.5"
width



STANDARD FEATURES

- ✓ Size (ext): 34/64.5"W x 36"D x 82.5"T
- ✓ Supports 30"W x 79"T W Refrigeration/Freezer Units
- ✓ Levelling Legs
- ✓ Open Back to Promote Air Flow
- ✓ All Performance Fixtures Can Be Stand-Alone or Share-A-Wall With Another Performance Fixture.

OPTIONS

- ✓ 56 1/8" Width for Double-Door Cooler (special order)
- ✓ 71" Height for Vending Coves (special order)
- ✓ Front Vent Covers (Minus Forty 22 USG Only) (special order)
- ✓ 8" Headers (special order)

FINISHES

Dove Grey



Macchiato



Black



Custom Finishes Available

Performance Kiosk Enclosure

v4.3



32"
width
(shown)

20"
depth

45"
width

36"
depth

STANDARD FEATURES

- ✓ Size (ext): 34W/46.5X x 20/36"D x 82.5"T
- ✓ Cabinet 32.5W/45W x 17"D x 30.5"T
- ✓ Product-enhancing Black Back
- ✓ Locking Base Cabinet w/Countertop (Dual Side)
 - Gum/Mint/Candy Merchandising
- ✓ Leveling Legs
- ✓ Use For:
 - Payment Station
 - Microwave Cabinet
 - Hot Beverage
- ✓ Customizable Merchandising Options Above Counter
 - 16"D Black Laminate Adjustable Shelf
 - With pushers and dividers
 - 4"/14" Product Pegs
 - High Lumen LED Light Kit

OPTIONS

- ✓ Cabinet Options
 - Cabinet Light for Each Shelf
 - Toekick Lighting
 - Solid Surface Countertop
- ✓ Surround Options
 - Hi Lumen LED Lid Lighting Kit
 - Price Tag Holders
 - Signage
 - 71" Height for Vending Nooks (Special Order)

FINISHES

Dove Grey



Macchiato



Black



Custom Finishes Available

Performance Retail Display

v4.2



STANDARD FEATURES

- ✓ Size (ext): 34\"/>

OPTIONS

- ✓ 20\"/>
- ✓ 71\"/>
- ✓ Price tag holders
- ✓ Signage
- ✓ Toe kick lighting

FINISHES

Dove Grey

Macchiato

Black

Custom Finishes Available

Essentials

v4.2

Essentials Collection

v4.2



The Essentials Collection is designed for locations that have limited space and height for a market. It has the quality and design you expect from Fixturelite, assembles in minutes with just a screwdriver, and has a price point designed for markets with lower sales volume and limited space. A matching pedestal for the POS is also available.

STANDARD FEATURES

- ✓ Freestanding
- ✓ Quality Millwork Made in the USA
- ✓ Quick Assembly
- ✓ Compatible with all Fixturelite Collections
- ✓ Durable 10 Year Warranty

FINISHES

Black

COUNTERTOP FINISHES

Dove Grey

Macchiato

Essentials Retail Display

v4.2



STANDARD FEATURES

- ✓ Size: 48"W x 20"D x 80"T
- ✓ Quick Assembly/Setup
- ✓ Freestanding Standard Config)
 - Grid with Laminate Black Panel
 - 10, 8" Pegs, Black
 - 8, 12x24 Wire Baskets, Black
 - 2 14" black laminate wood shelves w/fences for lower cabinet area.

OPTIONS

- ✓ Signage
- ✓ Hi-Lumen light kit for WOOD options only

FINISHES

Black

Essentials Pedestal

v4.2



STANDARD FEATURES

- ✓ Size:
 - Base 24"W x 24"D x 30.5"T (ext)
 - Countertop 24"W x 24"D (ext) Dual Finish
 - Dove Grey/Macchiato
- ✓ Black Base with Toekick
- ✓ Locking Door
- ✓ Rear Grommet Hole
- ✓ Leveling Legs
- ✓ Ships Mostly Assembled

OPTIONS

- ✓ Countertop 30"w x 27"d – (special order)

FINISHES

Dove Grey



Macchiato



Black



Refrigeration

Beverage Cooler

MINUSFORTY® BEVERAGE COOLER

v4.1



22-USGR-F1-SL
REFRIGERATOR

Energy Efficient,
Medium Temperature
Merchandiser

Style	Full Height Door
Cabinet Color (exterior/interior)	Silver/Black
Gross Capacity (cubic feet)	23.41
Gross Capacity (liters)	663.0
Factory Setpoint Temperature °F	35
Factory Setpoint Temperature °C	1.7
Height (inches / cm)	78.75 / 200
Width (inches / cm)	30 / 76.2
Depth less handle (inches / cm)	31.42 / 79.8
Interior LED Light Strips	2
Adjustable Shelves	4
Bottom Shelf	1
Casters	Yes
Volts / Hz / Phase	115 / 60 / 1
Amps	2.4
H.P. (kW)	1/4 (0.19)
Refrigerant	R290
Net Weight (lbs)	340
Net Weight (kg)	154.4
NEMA Configuration	5-15P



Energy Efficiency
Certified



R290 Natural
Refrigerant

Great features. Outstanding value.



Brilliant, energy efficient LED lighting creates an impressive visual impact. Standard on all models.



Medium temperature system factory set at 35°F. The ideal temperature can be factory programmed to suit your product storage needs.



Low-maintenance condenser* helps maintain the merchandiser's performance and reduces the frequency of costly, regular cleaning.



Energy free, Low-E coated glass door for added insulation value.



Programmable Electronic Control Center provides real-time information with audible and visual alarms. Standard on all models.

Beverage Cooler

MINUSFORTY® BEVERAGE COOLER

v4.1



22-USGR-F1-SL REFRIGERATOR

ENERGY EFFICIENT PERFORMANCE

- Eco-friendly, efficient, self contained R290 refrigeration system delivers setpoint temperatures from 35°F to 45°F depending on your requirements.
- Frost free, forced air system for quick, even cooling with user defined or temperature sensed defrost cycles.
- External front mounted electronic microprocessor controller for precise, efficient temperature management. Features continuous digital temperature display, adjustable temperature setpoint, audible and visual temperature alarm, audible and visual door open alarm.
- Low-maintenance condenser* helps maintain the merchandiser's performance and reduces the frequency of costly, regular cleaning.
- Bottom mount condensing unit provides elevated merchandising visibility keeping products within easy reach.
- High efficiency fan motors reduce energy consumption and maintain optimum air circulation for consistent cabinet temperature.

DURABLE CABINET CONSTRUCTION

- Tough, exterior finish provides long lasting durability to help keep the product looking like new even after years of service.
- 2½" thick walls with high density, foamed in place closed cell insulation for temperature and energy efficiency.
- Black galvanized interior walls with baked on finish that supports product illumination and provides the perfect contrasting backdrop.
- Stainless steel, smooth corner interior bottom for easy cleaning.
- Spacious condenser housing provides superior heat dispersion and air circulation.
- Smooth interior corners for easy cleaning.
- Low profile casters and front levelling legs for easy installation.

CLEAR VIEW GLASS DOOR

- Energy free, Low-E coated, insulated safety glass door helps keep the cold inside.
- Snap-in, one piece, self sealing door gasket makes cleaning trouble-free.
- Self closing torsion bar door helps prevent the door from being left open. The torsion bar system is more durable, reliable and rust resistant than spring loaded systems.
- Ergonomic 18" satin crescent handle.

BRILLIANT CABINET LIGHTING

- Cabinet interior features two (2) full height, high intensity, energy efficient white LED light strips to showcase merchandise and eliminate bulb replacement.

STURDY CABINET SHELVING

- Four (4) coated adjustable shelves resist rust and can be adjusted in 1/2" increments.
- One (1) coated bottom shelf.

ELECTRICAL REQUIREMENTS


- Unit includes cord and plug.
- Dedicated 15 amp grounded 115V 60Hz single phase circuit.
- NEMA 5-15P three prong 15 amp receptacle.

WARRANTY & CUSTOMER CARE


- One (1) year parts and labor. Additional four (4) years on compressor.
- 24/7 Customer Care support and a network of certified licensed technicians to respond to any refrigeration issue.

PRODUCT DIMENSIONS

FRONT VIEW



SIDE VIEW



ACCESSORIES FOR BRANDING, PROMOTION, CUSTOMIZING PACKOUT



Wire Baskets with Dividers



Wire Shelves



Menu / Price Strip

*Regular condenser cleaning and maintenance not required under normal operating conditions. Some exceptions may apply. Contact Minus Forty for more information.

Warranty is a limited warranty, please refer to detailed warranty outline available from our Customer Care Department. Specifications are subject to change without notice. Weights and dimensions do not include packaging or shipping materials.

All Minus Forty® refrigerators are energy efficiency certified to USA DOE standards for Commercial Refrigerator class.

Minus Forty Technologies Corp., 30 Armstrong Ave. Georgetown, Ontario Canada L7G 4R9

Tel: 800.800.5706 • 905.702.1441 • Fax: 905.702.1442 • MINUSFORTY.com

© Minus Forty® Technologies Corp. All Rights Reserved. Minus Forty® is a registered trademark of Minus Forty Technologies Corp.



Certified to Energy Standards
U.S. Department of Energy (DOE)
California Energy Commission
Natural Resources Canada (NRC)

Food Cooler

MINUSFORTY® FOOD COOLER

v4.1



22-USGR-F2-SL
REFRIGERATOR

FEATURING



Style	Full Height Door
Cabinet Color (exterior/interior)	Silver/Black
Gross Capacity (cubic feet)	23.41
Gross Capacity (liters)	663.0
Factory Setpoint Temperature °F	35
Factory Setpoint Temperature °C	1.7
Height (inches / cm)	78.75 / 200
Width (inches / cm)	30 / 76.2
Depth less handle (inches / cm)	31.42 / 79.8
Interior LED Light Strips	2
Adjustable Shelves	4
Bottom Shelf	1
Casters	Yes
Volts / Hz / Phase	115 / 60 / 1
Amps	2.4
H.P. (kW)	1/4 (0.19)
Refrigerant	R290
Net Weight (lbs)	340
Net Weight (kg)	154.4
NEMA Configuration	5-15P
Smartlock Trigger (adjustable)	≥ 41°F (5°C)



Energy Efficiency
Certified



R290 Natural
Refrigerant

Great features. Outstanding value.



Features SMARTLOCK. The first NAMA certified, fully integrated, dual function food health and refrigeration controller.



Brilliant, energy efficient LED lighting creates an impressive visual impact. Standard on all models.



Maintenance free condenser* helps maintain the cooler's performance while eliminating the need for costly, regular cleaning.



Energy free, Low-E coated glass door for added insulation value.



Programmable Electronic Control Center provides real-time information with audible and visual alarms. Standard on all models.

Food Cooler

MINUSFORTY® FOOD COOLER

v4.1



22-USGR-F2-SL REFRIGERATOR

SMARTLOCK HEALTH TIMER

• Constantly monitors the food storage compartment temperature to ensure it is operating correctly. If the temperature rises above the trigger point for 30 minutes, the unit automatically locks the door preventing access to potentially hazardous food. The unit can be unlocked manually for food inspection.

• The Smartlock system incorporates the reliability of an electronic control module and battery backup to ensure the system functions flawlessly even during a power outage situation.

ENERGY EFFICIENT PERFORMANCE

• Eco-friendly, efficient, self contained R290 refrigeration system delivers setpoint temperatures from 35°F to 37°F depending on your requirements.

• Frost free, forced air system for quick, even cooling with user defined or temperature sensed defrost cycles.

• Electronic microprocessor controller for precise temperature management includes continuous digital temperature display, audible & visual temperature alarm, audible and visual door open alarm.

• Maintenance free condenser* helps maintain the cooler's performance while eliminating the need for costly, regular cleaning.

• Bottom mount condensing unit provides elevated merchandising visibility keeping products within easy reach.

• High efficiency fan motors maintain optimum air circulation for consistent cabinet temperature.

DURABLE CABINET CONSTRUCTION

• Tough exterior finish to help keep the product looking like new even after years of service.

• 2½" thick walls with high density, foamed in place closed cell insulation for temperature and energy efficiency.

• Black galvanized interior walls with baked on finish that supports product illumination and provides the perfect contrasting backdrop.

• Stainless steel, smooth corner interior bottom for easy cleaning.

• Spacious condenser housing provides superior heat dispersion and air circulation.

• Smooth interior corners for easy cleaning.

• Low profile casters and front levelling legs for easy installation.

CLEAR VIEW GLASS DOOR

• Energy free, Low-E coated, insulated safety glass door helps keep the cold inside.

• Snap-in, one piece, self sealing door gasket makes cleaning trouble-free.

• Self closing torsion bar door helps prevent the door from being left open. The torsion bar system is more durable, reliable and rust resistant than spring loaded systems.

• Ergonomic 18" satin crescent handle.

BRILLIANT CABINET LIGHTING

• Cabinet interior features two (2) full height, high intensity, energy efficient white LED light strips to showcase merchandise and eliminate bulb replacement.

STURDY CABINET SHELVING

• Four (4) coated adjustable shelves resist rust and can be adjusted in 1/2" increments.

• One (1) coated bottom shelf.

ELECTRICAL REQUIREMENTS

• Unit includes cord and plug.

• Dedicated 15 amp grounded 115V 60Hz single phase circuit.

• NEMA 5-15P three prong 15 amp receptacle.


WARRANTY & CUSTOMER CARE

• One (1) year parts and labor. Additional four (4) years on compressor.


• 24/7 Customer Care support and a network of certified licensed technicians to respond to any refrigeration issue.

PRODUCT DIMENSIONS

FRONT VIEW



SIDE VIEW



ACCESSORIES FOR BRANDING, PROMOTION, CUSTOMIZING PACKOUT



Wire Baskets
with Dividers



Wire Shelves



Menu / Price Strip

*Regular condenser cleaning and maintenance not required under normal operating conditions. Some exceptions may apply. Contact Minus Forty for more information.

Warranty is a limited warranty, please refer to detailed warranty outline available from our Customer Care Department. Specifications are subject to change without notice. Weights and dimensions do not include packaging or shipping materials.

All Minus Forty® refrigerators are energy efficiency certified to USA DOE standards for Commercial Refrigerator class.

Minus Forty Technologies Corp., 30 Armstrong Ave. Georgetown, Ontario Canada L7G 4R9

TEL 800.800.5706 • 905.702.1441 • FAX 905.702.1442 • MINUSFORTY.com

© Minus Forty® Technologies Corp. All Rights Reserved. Minus Forty® is a registered trademark of Minus Forty Technologies Corp.



Certified to Energy Standards:
U.S. Department of Energy (DOE)
California Energy Commission,
Natural Resources Canada (NRC)

Freezer

MINUSFORTY® FREEZER

v4.1



22-USGF-F2-SL
FREEZER

FEATURING



Style	Full Height Door
Cabinet Color (exterior/interior)	Silver/Black
Gross Capacity (cubic feet)	23.41
Gross Capacity (liters)	663.0
Factory Setpoint Temperature °F	-20
Factory Setpoint Temperature °C	-28.9
Height (inches / cm)	78.75 / 200
Width (inches / cm)	30 / 76.2
Depth less handle (inches / cm)	31.42 / 79.8
Interior LED Light Strips	2
Adjustable Shelves	4
Bottom Shelf	1
Casters	Yes
Volts / Hz / Phase	115 / 60 / 1
Amps	4.6
H.P. (kW)	1/2 (0.37)
Refrigerant	R290
Net Weight (lbs)	340
Net Weight (kg)	154.4
NEMA Configuration	5-15P
Smartlock Trigger (adjustable)	≥ 0°F (-18°C)



Energy Efficiency
Certified



R290 Natural
Refrigerant

Great features. Outstanding value.



Features SMARTLOCK. The first NAMA certified, fully integrated, dual function food health and refrigeration controller.



Brilliant, energy efficient LED lighting creates an impressive visual impact. Standard on all models.



Low-maintenance condenser* helps maintain the merchandiser's performance and reduces the frequency of costly, regular cleaning.



Energy free triple pane, Low-E coated glass door for added insulation value. Anti-fog feature helps keep products in clear view.



Programmable Electronic Control Center provides real-time information with audible and visual alarms. Standard on all models.

Freezer

MINUSFORTY® FREEZER

v4.1



22-USGF-F2-SL FREEZER

SMARTLOCK HEALTH TIMER

• Constantly monitors the food storage compartment temperature to ensure it is operating correctly. If the temperature rises above the trigger point for 30 minutes, the unit automatically locks the door preventing access to potentially hazardous food. The unit can be unlocked manually for food inspection.

• The Smartlock system incorporates the reliability of an electronic control module and battery backup to ensure the system functions flawlessly even during a power outage situation.

ENERGY EFFICIENT PERFORMANCE

• Eco-friendly, efficient, self contained R290 refrigeration system delivers setpoint temperatures from -20°F to 0°F depending on your requirements.

• Frost free, forced air system for quick, even freezing with user defined or temperature sensed defrost cycles.

• Electronic microprocessor controller for precise temperature management includes continuous digital temperature display, audible & visual temperature alarm, audible and visual door open alarm.

• Low-maintenance condenser* helps maintain the merchandiser's performance and reduces the frequency of costly, regular cleaning.

• Bottom mount condensing unit provides elevated merchandising visibility keeping products within easy reach.

• High efficiency fan motors maintain optimum air circulation for consistent cabinet temperature.

DURABLE CABINET CONSTRUCTION

• Tough exterior finish to help keep the product looking like new even after years of service.

• 2½" thick walls with high density, foamed in place closed cell insulation for temperature and energy efficiency.

• Black galvanized interior walls with baked on finish that supports product illumination and provides the perfect contrasting backdrop.

• Stainless steel, smooth corner interior bottom for easy cleaning.

• Spacious condenser housing provides superior heat dispersion and air circulation.

• Smooth interior corners for easy cleaning.

• Low profile casters and front levelling legs for easy installation.

CLEAR VIEW GLASS DOOR

• Energy free triple pane, Low-E coated, insulated safety glass door helps keep the cold inside.

• Anti-fog feature quickly eliminates fog on glass after door opening/closing in high ambient conditions.

• Snap-in, one piece, self sealing door gasket makes cleaning trouble-free.

• Self closing torsion bar door helps prevent the door from being left open. The torsion bar system is more durable, reliable and rust resistant than spring loaded systems.

• Ergonomic 18" satin crescent handle.

BRILLIANT CABINET LIGHTING

• Cabinet interior features two (2) full height, high intensity, energy efficient white LED light strips to showcase merchandise and eliminate bulb replacement.

STURDY CABINET SHELVE

• Four (4) coated adjustable shelves resist rust and can be adjusted in 1/2" increments.

• One (1) coated bottom shelf.

ELECTRICAL REQUIREMENTS

• Unit includes cord and plug.

• Dedicated 15 amp grounded 115V 60Hz single phase circuit.

• NEMA 5-15P three prong 15 amp receptacle.


WARRANTY & CUSTOMER CARE

• One (1) year parts and labor. Additional four (4) years on compressor.


• 24/7 Customer Care support and a network of certified licensed technicians to respond to any refrigeration issue.

PRODUCT DIMENSIONS

FRONT VIEW




SIDE VIEW



ACCESSORIES FOR BRANDING, PROMOTION, CUSTOMIZING PACKOUT



Wire Baskets with Dividers



Wire Shelves



Menu / Price Strip

*Regular condenser cleaning and maintenance not required under normal operating conditions. Some exceptions may apply. Contact Minus Forty for more information.

Warranty is a limited warranty, please refer to detailed warranty outline available from our Customer Care Department. Specifications are subject to change without notice. Weights and dimensions do not include packaging or shipping materials.

All Minus Forty® freezers are energy efficiency certified to USA DOE standards for both Ice Cream and Commercial Freezer classes. Models 43-UDGF, 44-UDGF are certified to Commercial Freezer class.

Minus Forty Technologies Corp., 30 Armstrong Ave. Georgetown, Ontario Canada L7G 4R9

TEL 800.800.5706 • 905.702.1441 • FAX 905.702.1442 • MINUSFORTY.COM

© Minus Forty® Technologies Corp. All Rights Reserved. Minus Forty® is a registered trademark of Minus Forty Technologies Corp.



Certified to Energy Standards:
U.S. Department of Energy (DOE)
California Energy Commission
National Resources Canada (NRC)

Hybrid Cooler

MINUSFORTY® HYBRID COOLER

v4.1



22-UDGH-L2
REFRIGERATOR / FREEZER

FEATURING



Style	Hybrid
Cabinet Color (exterior/interior)	Black/White
Gross Capacity - Refrigerator (cu.ft. / litres)	10.74 / 304.1
Gross Capacity - Freezer (cu.ft. / litres)	11.44 / 324.0
Factory Setpoint Temp. Refrigerator °F (°C)	35 (1.7)
Factory Setpoint Temp. Freezer °F (°C)	-20 (-28.9)
Height (inches / cm)	78.75 / 200
Width (inches / cm)	30 / 76.2
Depth less handle (inches / cm)	32.62 / 82.9
Interior LED Light Strips - Refrigerator	2
Interior LED Light Strips - Freezer	2
Adjustable Shelves	4
Bottom Shelf	2
Casters	Yes
Volts / Hz / Phase	115 / 60 / 1
Amps	4.8
H.P. (kW)	1/2 (0.37)
Refrigerant	R290
Net Weight (lbs)	340
Net Weight (kg)	154.4
NEMA Configuration	5-15P



Energy Efficiency
Certified



R290 Natural
Refrigerant

Great features. Outstanding value.



Features SMARTLOCK. The first NAMA certified, fully integrated, dual function food health and refrigeration controller.



Brilliant, energy efficient LED lighting creates an impressive visual impact. Standard on all models.



Dual temperature unit keeps fresh foods "fresh" and frozen foods "frozen". It's the best of both worlds in a single, compact footprint.



Low-maintenance condenser* helps maintain the merchandiser's performance and reduces the frequency of costly, regular cleaning.



Energy free, Low-E coated triple pane glass doors for added insulation value. Anti-fog feature helps keep products in clear view.



Programmable Electronic Control Center provides real-time information with audible and visual alarms. Standard on all models.

v4.1

Food PicoCooler

MINUSFORTY® FOOD PICOCOOLER

v4.1



22-USGR-F2-SL
REFRIGERATOR

FEATURING OPTIONAL
PicoMarket Ready Kit

AND



Style	Full Height Door
Cabinet Color (exterior/interior)	Silver/Black
Gross Capacity (cubic feet)	23.41
Gross Capacity (liters)	663.0
Factory Setpoint Temperature °F	35
Factory Setpoint Temperature °C	1.7
Height (inches / cm)	78.75 / 200
Width (inches / cm)	30 / 76.2
Depth less handle (inches / cm)	32.62 / 82.9
Interior LED Light Strips	2
Adjustable Shelves	4
Bottom Shelf	1
Casters	Yes
Volts / Hz / Phase	115 / 60 / 1
Amps	2.4
H.P. (kW)	1/4 (0.19)
Refrigerant	R290
Net Weight (lbs)	340
Net Weight (kg)	154.4
Smartlock Trigger (adjustable)	≥ 41°F (5°C)
PicoMarket Ready Kit	Yes



Energy Efficiency
Certified



R290 Natural
Refrigerant

Great features. Outstanding value.



Features SMARTLOCK. The first NAMA certified, fully integrated, dual function food health and refrigeration controller.



Brilliant, energy efficient LED lighting creates an impressive visual impact. Standard on all models.



Low-maintenance condenser* helps maintain the merchandiser's performance and reduces the frequency of costly, regular cleaning.



Energy free, Low-E coated glass door for added insulation value.



Programmable Electronic Control Center provides real-time information with audible and visual alarms. Standard on all models.

v4.1

3815 E Grove St, Suite 7, Phoenix, AZ 85040
V5 Catalog | 888 - 697 - 1508 | fixturelite.com

Microwaves

Microwaves

AMANA MICROWAVES

v4.2

AMANA®
COMMERCIAL

TOUCH



DIAL



Medium Volume

Amana® Commercial Microwave RCS Series

Power Output

- 1000 watts of power

Available with Touch or Dial Controls

- **Touch controls:**
 - 100 programmable menu items simplifies cooking
 - 5 power levels and 4 cooking stages for cooking flexibility
 - Multiple quantity pad calculates the proper cooking times for multiple portions
- **Dial Controls:**
 - Timer automatically resets to zero if door is opened during heating
 - 10 minute dial timer lights up for "at-a-glance" monitoring
 - 4 power levels

Easy to Use

- See-through door and lighted interior for monitoring without opening the door
- 1.2 cubic ft. (34 liter) capacity accommodates a 14" (356 mm) platter, prepackaged foods and single servings

Easy to Maintain

- Stainless steel exterior and interior for easy cleaning and a professional look.
- Non-removable air filter protects oven components.
- Interior borosilicate tray is sealed and recessed to reduce plate-to-shelf edge impact and keep spills contained
- Constructed to withstand the foodservice environment, multiple users and variable ambient temperatures

Optional Accessories

- Cavity shelf (SE10)
- Non-stick baskets (TB10/S, SB10/S, MB10S, NB10, CB10)

Restaurant Line | Medium Volume This category of microwave oven is ideal for...

Applications

- Server Stations
- Convenience Stores
- Concessions
- Coffee shops
- Breakrooms
- Vending

Boost heats and re-therms foods in seconds

- Breakfast sandwich reheats in 1:00
- Stage cooking perfectly prepares instant oatmeal in 1:30

Defrost:

- Defrosts most frozen food products

All ACP, Inc. commercial ovens are supported by our Culinary Center. Do not hesitate to contact us for any questions regarding food preparation, menu development and cooking times: testkitchen@acpsolutions.com



Service

All products are backed by the ACP, Inc.
24/7 ComServ Support Center

Warranty

Warranty Certificate for this product can be found on the ACP, Inc. website at www.acpsolutions.com/warranty

Safety and Sanitation

This ACP, Inc. product meets and exceeds safety and sanitation standards set for commercial microwave ovens by UL, ETL, NSF, CSA, and FDA.




Microwaves

AMANA MICROWAVES

v4.2

Amana® Commercial Microwave RCS Series | Medium Volume



Dimensions

Exterior	H 13 7/8" (352)	W 22" (559)	D† 19" (483)
Cavity	H 8 1/2" (216)	W 14 1/2" (368)	D 15" (381)
Usable Cavity Space	1.2 cubic ft. (34 liter)		
Door Depth	32 3/4" (832), 90°+ door open		
Installation Clearances	Top: 2" (51)	Sides: 1" (25)	Back: None
Shipping Carton	H 16 1/2" (422)	W 25 3/4" (640)	D 19 3/4" (502)

Weight

Product Weight	Ship weight (approx.)	UPS Shippable
41 lbs. (19 kg.)	47 lbs. (21 kg.)	Yes

Measurements are US Standard. Measurements in () are in millimeters.

* IEC 60705 Tested

† Includes handle

Features

	Touch Models (TS)	Dial Models (DSE)
Configuration	Countertop	Countertop
Stackable	Yes	Yes
Display	VFD	Lighted Dial
Control System	Touchpad	Dial
Programmable Control	Yes, 10 pads	No
Braille	Yes	No
Settings Programmable	100	-
Max. Cooking Time	60:00	10:00
Microwave Distribution	Rotating antenna, top	Rotating antenna, top
Power Levels	5	4
Defrost	Yes, 20% power	Yes, 20% power
Time Entry Option	Yes	Yes
Multiple Portion Setting	Yes, X2	No
Stage Cooking	4 stages	1 stage
Interior Light	Yes	Yes
Automatic Voltage Sensor	No	No
Air Filter	Non-removable with cleaning reminder	Non-removable
Signal	End of cycle, adjustable	End of cycle
Door Handle	Grab & Go	Grab & Go
Exterior Finish	Stainless steel	Stainless steel
Interior Finish	Stainless steel	Stainless steel

Electrical Configuration

Region	Model#/UPC	Control System	Power Consumption	Power Output (microwave)	Power Source	Plug Configuration	Cord Length	Frequency	Magnetron
North America single phase	RCS10TS 728028020724	Touch	1500 W	1000 W*	120 V, 60 Hz, 15 A, single phase	NEMA 5-15 	5 ft. (1.5m)	2450MHz	1
North America single phase	RCS10DSE 728028129465	Dial	1500 W	1000 W*	120 V, 60 Hz, 15 A, single phase	NEMA 5-15 	5 ft. (1.5m)	2450MHz	1